



09-647457 seq 6-24-05.ST25.txt
SEQUENCE LISTING

<110> Yeda Research and Development Company Ltd.
<120> ASSAY FOR THE DIAGNOSIS OF SCHIZOPHRENIA BASED ON A NEW PEPTIDE
<130> 24390 (1276302)
<140> 09/647,457
<141> 2000-09-29
<150> PCT/IL99/00190
<151> 1999-09-29
<150> 123925
<151> 1998-04-02
<160> 15
<170> PatentIn version 3.2
<210> 1
<211> 17
<212> PRT
<213> Unknown
<220>
<223> being the immunologically active epitope

<220>
<221> MISC_FEATURE
<222> (1)..(16)
<223> Xaa(8) is C, G, or P; Xaa(17) is R or absent; provided that
when Xaa(8) is C, then Xaa(17) is absent, and when Xaa(8) is
either G or P, then Xaa(17) is R.

<400> 1

Leu Val Val Gly Leu Cys Thr Xaa Gln Ile Lys Thr Gly Pro Ala Cys
1 5 10 15

Xaa

<210> 2
<211> 28
<212> PRT
<213> Unknown

<220>
<223> being the immunologically active epitope

<400> 2

Ser Gly Glu Thr Glu Asp Thr Phe Ile Ala Asp Leu Val Val Gly Leu
1 5 10 15

Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg
20 25

<210> 3
 <211> 16
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients.

<400> 3

Leu Val Val Gly Leu Cys Thr Cys Gln Ile Lys Thr Gly Pro Ala Cys
 1 5 10 15

<210> 4
 <211> 20
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients.

<400> 4

Ile Ala Asp Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly
 1 5 10 15

Ala Pro Cys Arg
 20

<210> 5
 <211> 19
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 5

Ala Asp Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala
 1 5 10 15

Pro Cys Arg

<210> 6
 <211> 18
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 6

Asp Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro
1 5 10 15

Cys Arg

<210> 7

<211> 17

<212> PRT

<213> Unknown

<220>

<223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 7

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys
1 5 10 15

Arg

<210> 8

<211> 17

<212> PRT

<213> Unknown

<220>

<223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 8

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Pro Ala Cys
1 5 10 15

Arg

<210> 9

<211> 17

<212> PRT

<213> Unknown

<220>

<223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 9

Leu Val Val Gly Leu Cys Thr Pro Gln Ile Lys Thr Gly Pro Ala Cys
1 5 10 15

Arg

<210> 10
 <211> 20
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 10

Ser Gly Glu Thr Glu Asp Thr Phe Ile Ala Asp Leu Val Val Gly Leu
 1 5 10 15

Cys Thr Gly Gln
 20

<210> 11
 <211> 16
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 11

Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg
 1 5 10 15

<210> 12
 <211> 12
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 12

Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg
 1 5 10

<210> 13
 <211> 16
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 13

09-647457 seq 6-24-05.ST25.txt

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys
1 5 10 15

<210> 14
<211> 15
<212> PRT
<213> Unknown

<220>
<223> peptide capable of binding antibodies that are found in elevated
levels in body fluids of schizophrenic patients

<400> 14

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro
1 5 10 15

<210> 15
<211> 16
<212> PRT
<213> Unknown

<220>
<223> peptide capable of binding antibodies that are found in elevated
levels in body fluids of schizophrenic patients

<400> 15

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Pro Ala Cys
1 5 10 15